



Kofax Equitrac Embedded for Fujifilm ECSP Release Notes

Version: 1.0.0

Date: 2023-03-22

KOFAX

© 2023 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

Table of Contents

Chapter 1: About this release	4
Version information.....	4
System requirements.....	4
Chapter 2: Known issues	5
Release all at authentication does not display a message when delegate has insufficient funds.....	5
Equitrac scan jobs are tracked as "unspecified" size when set to auto paper size.....	5
Copies are still processed on user's second login when copy limits are exceeded.....	5
User must press Login twice after login failed.....	5

Chapter 1

About this release

Kofax Equitrac Embedded for Fujifilm ECSP is an Equitrac embedded client for Kofax ControlSuite. The Equitrac Embedded for Fujifilm ECSP (Equitrac Capture Send and Print) application provides copy control, workflow scanning, and secure printing on Fujifilm manufactured multi-functional printers (MFPs) and Fuji Xerox manufactured MFPs that upgrade the firmware to a specified version or later.

Additional features include:

- Access control and card self-registration for users
- Using Print-to-Me to manage documents in a print queue
- Using Scan-to-Me to receive or send scanned documents and configure scanning options
- Customized workflows for scanning
- Print tracking reports on paper sizing, color, duplexing, stapling, or input trays
- Billing code support

Please read this document carefully, as it contains information that might not be included in other Fujifilm ECSP documentation.

Version information

The Fujifilm ECSP version 1.0.0 client is available in the ControlSuite 1.3.0.3.0.86 build.

System requirements

For information on supported operating systems and other system requirements, see the [Kofax Equitrac Embedded for Fujifilm ECSP Technical Specifications](#) document on the Kofax ControlSuite 1.4.0 [Product Documentation](#) page. The document is updated regularly, and we recommend that you review it carefully.

Chapter 2

Known issues

Release all at authentication does not display a message when delegate has insufficient funds

1847151: The **Release all at authentication feature** does not display a message when a delegate logs into a device to release both delegate and manager jobs, but the delegate has insufficient funds to release their own jobs. However, the manager's jobs are released.

Equitrac scan jobs are tracked as "unspecified" size when set to auto paper size

1847140: When the auto page size (default) is selected, scanned pages are tracked and reported as an "unspecified" size.

Copies are still processed on user's second login when copy limits are exceeded

1847132: Copies are still processed on a user's second login when copy limits are exceeded. Account limits will not apply until a user's third login.

User must press Login twice after login failed

1839973: When **Use IC Card** is enabled and a login attempt fails, a user must press **Login** twice to access the **Login entry** screen again.

This is working as designed.