

Kofax Unified Client for Brother Technical Specifications

Version: 1.0.0

Date: 2024-08-09



© 2020-2024 Tungsten Automation. All rights reserved.

Tungsten and Tungsten Automation are trademarks of Tungsten Automation Corporation, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Tungsten Automation.

Table of Contents

Chapter 1: About the Unified Client for Brother	
Chapter 2: Product requirements	5
Product components	5
Supported card readers	6

Chapter 1

About the Unified Client for Brother

The Kofax Unified Client for Brother adds print and capture capabilities to Brother devices through AutoStore and Equitrac while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Brother. These requirements specifically list the needs of the Unified Client for Brother and do not include any additional requirements for other components you might use in your system.

Chapter 2 Product requirements

Product components

Specification	Description
Supported devices	The Unified Client must function with Brother MFP and SFP devices that supports the Brother BSI framework with the following screen sizes:
	 Mono Laser devices supporting the BSI SDK and with the following screen sizes: 3.7" and 4.8".
	 Color Laser devices supporting the BSI SDK and with the following screen sizes: 2.7", 3.7", 5" and 7".
	• Inkjet devices supporting the BSI SDK and with the following screen sizes: 2.7" and 3.7".
	See <u>MFD and Productivity Supported Devices</u> for an updated list of specific models.
Device firmware versions	Brother BSI
Required third-party technologies	None
Compatible third-party technologies	None
Required Kofax software	Device Registration Service (DRS)
	Device Web Server (DWS)
Compatible Kofax software	ControlSuite 1.1 with fix pack 2 or later
	• Equitrac 6.1 with fix pack 2 or later
	AutoStore 8.1 with fix pack 2 or later
	Business Connect 8.1 with fix pack 2 later
Supported languages	• English
	• French
	• Italian
	• German
	• Spanish
	Portuguese

Supported card readers

The Unified Client for Brother supports the following card readers.

Kofax card readers

- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

And the Unified Client for Brother allows the usage of the following card readers.

Third-party card readers

- Elatec TWN3
- Elatec TWN4
- RFIDeas pcProx RDR-7L81xKU
- RFIDeas pcProx RDR-80581xKU
- Custom

• When a third-party card reader is used, a third-party card reader license is required. Since January 2023, third-party card readers are provided free of charge for ControlSuite. Please ensure that licenses are available for the amount of card readers being used within the ControlSuite deployment.