



Kofax Unified Client for Canon Technical Specifications

Version: 1.2.0

Date: 2024-08-09

KOFAX

© 2023-2024 Tungsten Automation. All rights reserved.

Tungsten Automation is a trademark of Tungsten Automation Corporation, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Tungsten Automation.

Document revision history

Date	Revision	Description
August 9, 2024	1.3	Updated supported card readers.
April 7, 2022	1.2	Added regional signing statement.
September 16, 2021	1.2	Updated compatible device versions and supported languages.
Aug 10, 2020	1.1	Initial version.

Table of Contents

Chapter 1: About the Unified Client for Canon.....	5
Chapter 2: Product requirements.....	6
Product components.....	6
Supported card readers.....	7

Chapter 1

About the Unified Client for Canon

The Kofax Unified Client for Canon adds print and capture capabilities to Canon devices through AutoStore and Equitrac while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Canon. These requirements specifically list the needs of the Unified Client for Canon and do not include any additional requirements for other components you might use in your system.

Chapter 2

Product requirements

Product components

Specification	Description
Supported devices	<p>The Unified Client will function with the Canon MFP devices that support the Java SE MEAP framework.</p> <p>See MFD and Productivity Supported Devices for an updated list of specific models.</p> <p>Canon devices require that the embedded application is regionally signed, the Unified Client is signed within the Americas, EMEA, Singapore, Oceania and China regions. The Unified Client is not signed within the Japanese region.</p>
Device firmware versions	MEAP 3.3 or later
Required third-party technologies	None

Specification	Description
Compatible third-party technologies	None
Required Kofax software	<ul style="list-style-type: none"> • Device Registration Service (DRS)
Compatible Kofax software	<ul style="list-style-type: none"> • ControlSuite 1.2 with fix pack 3 (or higher) • Equitrac 6.2 with fix pack 3 or later • AutoStore 8.2 with fix pack 3 or later • Output Manager 5.2 with fix pack 3 or later • Business Connect 8.2 with fix pack 3 or later
Supported languages	<ul style="list-style-type: none"> • Catalan • Czech • Dutch • Danish • English (default) • Finnish • French • German • Hungarian • Italian • Norwegian • Polish • Portuguese (Brazil) • Russian • Spanish • Swedish • Turkish

Supported card readers

The Unified Client for Canon supports the following card readers.

Tungsten Automation card readers


- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

The Unified Client for Canon also allows the usage of the following card readers.

Third-party card readers

- Elatec TWN3
- Elatec TWN4
- RFIDEas pcProx RDR-7L81xKU
- RFIDEas pcProx RDR-80581xKU

- Custom

 When a third-party card reader is used, a third-party card reader license is required. Since January 2023, third-party card readers are provided free of charge for ControlSuite. Please ensure that licenses are available for the amount of card readers being used within the ControlSuite deployment.