



# Kofax Unified Client for Konica Minolta Technical Specifications

Version: 1.1.0

Date: 2024-03-14

**KOFAX**

© 2022-2023 Tungsten Automation. All rights reserved.

Tungsten and Tungsten Automation are trademarks of Tungsten Automation Corporation, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Tungsten Automation.

# Revision history

Date	Revision	Description
March 29, 2022	1.0	Initial version
March 24, 2024	1.1	Correct version number

# Table of Contents

About the Kofax Unified Client for Konica Minolta.....	5
Product requirements.....	6
Required and supported software.....	6
Supported card readers.....	6
Kofax card readers.....	6
Third-party card readers.....	7
Supported devices.....	8

# About the Kofax Unified Client for Konica Minolta

The Kofax Unified Client for Konica Minolta adds print and capture capabilities to Konica Minolta devices through AutoStore, Equitrac, and Output Manager while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Kofax Unified Client for Konica Minolta. These requirements specifically list the needs of the Kofax Unified Client for Konica Minolta and do not include any additional requirements for other components you might use in your system.

# Product requirements

## Required and supported software

Specification	Description
Required Kofax software	<ul style="list-style-type: none"><li>• Device Registration Service (DRS)</li><li>• Device Web Server (DWS)</li></ul>
Compatible Kofax software	<ul style="list-style-type: none"><li>• ControlSuite 1.4 with Fix Pack 2 or later</li><li>• Equitrac 6.4 with Fix Pack 2 or later</li><li>• AutoStore 8.4 with Fix Pack 2 or later</li><li>• Output Manager 5.4 with Fix Pack 2 or later</li><li>• Business Connect 8.4 with associated fix pack or later</li></ul>
Required third-party technologies	None
Compatible third-party technologies	None
Supported languages	English, French, Italian, German, Spanish, Portuguese as well as Catalan, Czech, Dutch, Danish, Finnish, Hungarian, Norwegian, Polish, Russian, Swedish and Turkish.

## Supported card readers

The Kofax Unified Client for Konica Minolta supports the following card readers.


### Kofax card readers

The following devices require the wedge loadable driver, which is available from Konica Minolta, to be installed on the device.

- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

## Third-party card readers


The Kofax Unified Client for Xerox has also been tested with the following card readers.

 When a third-party card reader is used, a third-party card reader license is required.

### Proprietary mode card readers

- HID Omnikey 5427 G2 (AU-205H)
- HID Omnikey 5427 CK (AU-205H)
- HID Magtek 21040140 (AU-204H)
- Ysoft KM USB Reader 3 MFX

### Keyboard emulation (wedge) mode card readers

 Wedge mode card readers require the keyboard wedge loadable driver, available from Konica Minolta, be installed on the device.

- Elatec TWN3
- Elatec TWN4
- RFIDEas pcProx RDR-7L81AKU
- RFIDEas pcProx RDR-80081AKU
- RFIDEas pcProx RDR-80581AKU
- Ysoft 3 MF+ Card Reader
- Unitech MS146 Barcode Reader

# Supported devices

The Kofax Unified Client for Konica Minolta works with Konica Minolta, Develop, and Olivetti devices with medium and large screen sizes that support iOption and contain the following:

AltaLink, PrimeLink, and VersaLink devices with full panel and half panel screen sizes that contain the following:

- Open API 5.2 framework
- Chromium browser
- IT5 devices with function level 4.2 or higher
- IT6 devices with function level 2.0 or higher

The Kofax Unified Client for Konica Minolta supports multifunction printer (MFP) and single-function printer (SFP) devices. MFP devices support print, scan, and copy functions. SFP devices only support printing. During deployment, DWS compares the capabilities of the device with the components you want to install. For example, if you use AutoStore that requires scanning, deployment fails when you attempt to install on an SFP device that does not have a scanner.

See [MFD and Productivity Supported Devices](#) for the current list of specific models.