



Kofax Unified Client for Ricoh Technical Specifications

Version: 1.3.0

Date: 2024-08-09

KOFAX

© 2023-2024 Tungsten Automation. All rights reserved.

Tungsten and Tungsten Automation are trademarks of Tungsten Automation Corporation, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Tungsten Automation.

Table of Contents

Chapter 1: About the Unified Client for Ricoh	4
Chapter 2: Product requirements	5
Product components.....	5
Supported card readers.....	6

Chapter 1

About the Unified Client for Ricoh

The Kofax Unified Client for Ricoh adds print and capture capabilities to Ricoh devices through AutoStore, Equitrac, and Output Manager while still using device-specific features.



Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Ricoh. These requirements specifically list the needs of the Unified Client for Ricoh and do not include any additional requirements for other components you might use in your system.

Chapter 2

Product requirements

Product components

Specification	Description
Supported devices	<p>The Unified Client will function with the Ricoh MFP and SFP devices that support Ricoh's Smart Operation Panel (SOP) from version 2.1 onwards with screen sizes of 10-inch and 7-inch.</p> <p>i IPV6 addresses can only function on Ricoh devices that have SOP G2.5 (or higher). For device specific information, verify the model list at the MFD and Productivity Supported Devices web page.</p> <p>The Unified Client for Ricoh supports multifunction printer (MFP) and single-function printer (SFP) devices. MFP devices support print, scan, and copy functions. SFP only supports printing. See MFD and Productivity Supported Devices for an updated list of specific models.</p>
Device firmware versions	Smart Operation Panel (SOP) from version 2.1
Required third-party technologies	None
Compatible third-party technologies	None
Required Kofax software	<ul style="list-style-type: none">• Device Registration Service (DRS)

Specification	Description																						
Compatible Kofax software	<p>Compatible Kofax software with IPv6 functionality:</p> <ul style="list-style-type: none"> • ControlSuite 1.3 with fix pack 1 or later • AutoStore 8.3 with fix pack 1 or later • Equitrac 6.3 with fix pack 1 or later • Output Manager 5.3 with fix pack 1 or later • Business Connect 8.3 with fix pack 1 or later <p>For legacy applications:</p> <ul style="list-style-type: none"> • AutoStore 7 SP6 • Equitrac Office/Express 5.6 • Equitrac Office/Express 5.7 • Output Manager 4 SP2 • Device Registration Server (DRS) 7.14 <div style="background-color: #e6f2ff; padding: 5px; margin-top: 10px;"> <p> IPv6 functionality is only available with ControlSuite 1.2 with fix pack 2 or later.</p> </div>																						
Supported languages	<table border="0" style="width: 100%;"> <tr> <td>English</td> <td>Catalan</td> </tr> <tr> <td>Czech</td> <td>Dutch</td> </tr> <tr> <td>Danish</td> <td>French</td> </tr> <tr> <td>Finnish</td> <td>German</td> </tr> <tr> <td>Hungarian</td> <td>Italian</td> </tr> <tr> <td>Japanese</td> <td>Korean</td> </tr> <tr> <td>Norwegian</td> <td>Polish</td> </tr> <tr> <td>Portuguese</td> <td>Russian</td> </tr> <tr> <td>Simplified Chinese</td> <td>Spanish</td> </tr> <tr> <td>Swedish</td> <td>Thai</td> </tr> <tr> <td>Traditional Chinese</td> <td>Turkish</td> </tr> </table> <div style="background-color: #e6f2ff; padding: 5px; margin-top: 10px;"> <p> AutoStore and Output Manager may not support all of the languages listed above. When a language is not supported then the language displayed will be English.</p> </div>	English	Catalan	Czech	Dutch	Danish	French	Finnish	German	Hungarian	Italian	Japanese	Korean	Norwegian	Polish	Portuguese	Russian	Simplified Chinese	Spanish	Swedish	Thai	Traditional Chinese	Turkish
English	Catalan																						
Czech	Dutch																						
Danish	French																						
Finnish	German																						
Hungarian	Italian																						
Japanese	Korean																						
Norwegian	Polish																						
Portuguese	Russian																						
Simplified Chinese	Spanish																						
Swedish	Thai																						
Traditional Chinese	Turkish																						

Supported card readers

The Unified Client for Ricoh supports the following card readers.


Kofax card readers

- Kofax Micro ST Reader
- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

The Unified Client for Ricoh has also been tested with the following card readers.

Third-party card readers

- Baltech Micro2
- Baltech Micro
- Baltech ID Card Readers USB Gen 2 Business Connect compatible
- Elatec TWN3 KBD [09D8:0310]
- Elatec TWN4 KBD [09D8:0410]
- RFIDeas pcProx RDR-7L81xKU KBD [0C27:3BFA]
- RFIDeas pcProx RDR-80581xKU KBD [0C27:3BFA]
- RFIDeas RDR-6381xPU
- RFIDeas RDR-7581xPU
- RFIDeas RDR-6081xPU
- RFIDeas RDR-805R1xKU [0C27:3BFA]
- RFIDeas RDR-805R1xKU-G3 [0C27:3BFA]
- RFIDeas RDR-80541xKU-RSOP [0C27:3BFA]
- RFIDeas RDR-30MR1xKU-MXS [0C27:3BFA]
- RFIDeas RDR-805R1xKU [0C27:3BFA]
- HID Omnikey 5427 (AU-205H)
- Inepro SCR 708 [1DA6/0110]
- Inepro Spider [1DA6/0110]

 When a third-party card reader is used, then a third-party card reader license is required. Since January 2023, third-party card readers are provided free of charge for ControlSuite. Please ensure that licenses are available for the amount of card readers being used within the ControlSuite deployment.