

Kofax Unified Client for Xerox Technical Specifications

Version: 1.2.0

Date: 2023-08-28



$^{\circ}$ 2023 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

Revision history

| Date | Revision | Description |
|------------------|----------|-----------------|
| December 1, 2023 | 1.0 | Initial version |

Table of Contents

| About the Kofax Unified Client for Xerox | 5 |
|--|---|
| Product requirements | 6 |
| Required and supported software | |
| Supported card readers | |
| Supported devices | |
| supported devices | c |

About the Kofax Unified Client for Xerox

The Kofax Unified Client for Xerox adds print and capture capabilities to Xerox devices through AutoStore, Equitrac, and Output Manager while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Kofax Unified Client for Xerox. These requirements specifically list the needs of the Kofax Unified Client for Xerox and do not include any additional requirements for other components you might use in your system.

Product requirements

Required and supported software

| Specification | Description |
|-------------------------------------|---|
| Required Kofax software | Device Registration Service (DRS)Device Web Server (DWS) |
| Compatible Kofax software | ControlSuite 1.4 with Fix Pack 2 or later Equitrac 6.4 with Fix Pack 2 or later AutoStore 8.4 with Fix Pack 2 or later Output Manager 5.4 with Fix Pack 2 or later Business Connect 8.4 with associated fix pack or later |
| Required third-party technologies | None |
| Compatible third-party technologies | None |
| Supported languages | English, French, Italian, German, Spanish, Portuguese as well as Catalan, Czech, Dutch, Danish, Finnish, Hungarian, Norwegian, Polish, Russian, Swedish and Turkish. |

Supported card readers

The Kofax Unified Client for Xerox supports the following card readers.

Kofax card readers

- · Kofax Micro ST Reader
- Kofax Micro Card Reader
- Kofax Equitrac ID Card Reader

The Kofax Unified Client for Xerox has also been tested with the following card readers.

Third-party card readers

• Baltech Micro2

- · Baltech Micro
- Baltech ID Card Readers USB Gen 2 Business Connect compatible
- Elatec TWN3
- Elatec TWN4
- RFIDeas pcProx RDR-7L81AKU
- RFIDeas pcProx RDR-80581AKU
- Custom

When a third-party card reader is used, then a third-party card reader license is required. Since January 2023, third-party card readers are provided free of charge for ControlSuite. Make sure licenses are available for the amount of card readers being used within the ControlSuite deployment.

Supported devices

The Kofax Unified Client for Xerox works with AltaLink, PrimeLink, and VersaLink devices with full panel and half panel screen sizes that contain the following:

- EIP 3.7 (or later) framework
- · Web-Kit gen 2/gen 3 browser

The Kofax Unified Client for Xerox supports multifunction printer (MFP) and single-function printer (SFP) devices. MFP devices support print, scan, and copy functions. SFP devices only support printing. During deployment, DWS compares the capabilities of the device with the components you want to install. For example, if you use AutoStore that requires scanning, deployment fails when you attempt to install on an SFP device that does not have a scanner.

See MFD and Productivity Supported Devices for the current list of specific models.