



Tungsten Unified Client for Fujifilm Technical Specifications 1.0.0

TUNGSTEN
AUTOMATION

© 2023-2025 Tungsten Automation. All rights reserved.

Tungsten Automation is a trademark of Tungsten Automation Corporation, registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Tungsten Automation.

Revision history

Date	Revision	Description
October 19, 2023	1.0	Initial version
August 9, 2024	1.1	Update company name
March 27, 2025	1.2	Update branding for version 2025.2

Table of Contents

- About the Unified Client for Fujifilm..... 5
- Product requirements.....6
 - Product components..... 6
 - Supported card readers..... 6

About the Unified Client for Fujifilm

The Tungsten Unified Client for Fujifilm adds print and capture capabilities to supported Fujifilm and Fuji Xerox devices through AutoStore and Equitrac or Output Manager while still using device-specific features.

Specific hardware and software compatibility requirements are outlined in this document. You must meet these requirements to support the Unified Client for Fujifilm. These requirements specifically list the needs of the Unified Client for Fujifilm and do not include any additional requirements for other components you might use in your system.

Product requirements

Product components

Specification	Description
Supported devices	The Unified Client for Fujifilm works with Fujifilm multifunction printer (MFP) and single-function printer (SFP) devices that support the AIP 7 framework and embedded web browser 5. Legacy Fuji Xerox MFP and SFP devices that can be updated to AIP 7 are also supported. MFP devices support print, scan, and copy functions. SFP devices only support printing. See MFD and Productivity Supported Devices for an updated list of specific models.
Device firmware versions	Fujifilm AIP 7 platform and embedded web browser 5.
Required third-party technologies	None
Compatible third-party technologies	None
Required Tungsten software	<ul style="list-style-type: none">• Device Registration Service (DRS) 8.4 with fix pack 3 or later• Device Web Server (DWS) 10.4 with fix pack 3 or later
Compatible Tungsten software	<ul style="list-style-type: none">• ControlSuite 1.4 with fix pack 3 or later• Equitrac 6.4 with fix pack 3 or later• AutoStore 8.4 with fix pack 3 or later• Output Manager 5.4 with fix pack 3 or later• Business Connect 8.4 with fix pack 3 or later
Supported languages	English, Japanese, Korean, Simplified Chinese, Traditional Chinese, Thai, Italian, German, Spanish, French, Dutch

Supported card readers

The Unified Client for Fujifilm supports the following card readers:

Tungsten card readers

- Tungsten Micro ST Reader
- Tungsten Micro Card Reader
- Tungsten Equitrac ID Card Reader

The Unified Client for Fujifilm has also been tested with the following card readers:

Third-party card readers

- Fujifilm ICCR-B card reader
- Baltech Micro2
- Baltech Micro
- Baltech ID Card Readers USB Gen 2 Business Connect compatible
- Elatec TWN3
- Elatec TWN4
- RFIDEas pcProx RDR-7L81xKU
- RFIDEas pcProx RDR-80581xKU
- HID Omnikey 5427



- An update from Unified Client for Fujifilm is required to support a new card reader.
- When a third-party card reader is used, a third-party card reader license is required. Since January 2023, third-party card readers are provided free of charge for ControlSuite. Please ensure that licenses are available for the amount of card readers being used within the ControlSuite deployment.