

Kofax PSIcapture Technical Specifications

Version: 7.10.0

Date: 2023-11-07



© 2011–2023 Kofax. All rights reserved.

Kofax is a trademark of Kofax, Inc., registered in the U.S. and/or other countries. All other trademarks are the property of their respective owners. No part of this publication may be reproduced, stored, or transmitted in any form without the prior written permission of Kofax.

Table of Contents

| Chapter 1: Introduction | 4 |
|---------------------------------|---|
| System architecture | 5 |
| Chapter 2: Product requirements | 6 |
| Hardware requirements | 7 |

Chapter 1 Introduction


Kofax PSIcapture provides the tools to streamline business information (such as physical documents, digital files, incoming faxes, and more), extract important information, convert it to searchable PDFs, and route it to a digital repository. The technical specifications in this document are specific to Kofax PSIcapture 7.10.0.

Memory and disk space requirements are provided. You must meet these requirements to support your Kofax PSIcapture system. These requirements specifically list the needs of Kofax PSIcapture and do not include any memory or disk space requirements for the operating system, environment, or other software that runs on the same computer.

System architecture

PSIcapture Architecture

Capture Server Network



Chapter 2

Product requirements

| Specification | Description |
|-------------------------------------|---|
| Client Operating Systems | • Windows 10 (32-bit and 64-bit), all editions |
| | Windows 11 (64-bit), all editions |
| Server Operating Systems | Windows Server 2016–2022, all editions |
| DBMS | SQL LocalDB 2014 (Windows 32-bit) |
| | SQL LocalDB 2022 |
| | SQL Server 2014 and later (when configured to use an external database) |
| Firewall ports | Ensure that TCP ports 47232-47233 are open so that Kofax PSIcapture will run properly. |
| Accessibility | Active Internet connection of 1 MBPS or greater |
| NTFS permissions | Users need Read, Write, and Modify to Drive permissions to all storage and automation folders and subfolders. The same permissions are required for the following locations: |
| | C:\Program Files (x86)\PSIGEN |
| | C:\ProgramData\PSIGEN |
| | PSIcapture installs a Service called Capture Services, which by default is granted NT Authority\SYSTEM account privileges. We highly recommend that you install the application with Local Administrator account credentials. |
| Required Third-Party Technologies | Microsoft .NET Framework 4.8 or later |
| | Other requirements: |
| | • Visual C++ 2015 (32-bit) |
| | • Visual C++ 2013 (32-bit) |
| Compatible Third-Party Technologies | Microsoft SharePoint 2013 or later |
| | • FileBound 7, 8.0, 8.1 |
| | LaserFiche 8.2 |
| | M-Files version 2018, M-Files online |
| | OnBase version 12 or later |
| | Xerox DocuShare 7.6 Xero NetStandard 2.20.0 |
| | Xero NetStandard 3.20.0 |
| | Digitech ImageSilo 6.4.1Objective 8.1 |
| | |

| Specification | Description |
|---|--|
| | Alfresco 7 |
| | • docMgt 3.x or later |
| | OpenText Alchemy 8.2 |
| | OpenText RightFax 10.6 or later |
| Compatible Kofax Software | PSIcapture Mailroom 3.3 or later |
| | • PSIsafe 12.2 (via PSIsafe API 12.2) or later |
| Supported Languages (UI, Help, Installation Guide) | English |
| Languages supported (OCR Engine) | Afrikaans, Albanian, Arabic, Aymara, Basque, Belarusian, Bemba, Blackfoot, Brazilian Portuguese, Breton, Bugotu, Bulgarian, Catalan, Chamorro, Chechen, Chinese - Simplified, Chinese - Traditional, Corsican, Croatian, Crow, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Fijian, Finnish, French, Frisian, Friulian, Gaelic - Irish, Gaelic - Scottish, Galician, Ganda, German, Greek, Guarani, Hani, Hawaiian, Hebrew, Hungarian, Icelandic, Ido, Indonesian, Interlingua, Inuit, Italian, Japanese, Kabardian, Kashubian, Kawa, Kikuyu, Kongo, Korean, Kpelle, Kurdish, Latin, Latvian, Lithuanian, Luba, Luxembourgian, Macedonian, Malagasy, Malay, Malinke, Maltese, Maori, Mayan, Miao, Minankabaw, Mohawk, Moldavian, Nahuatl, Norwegian, Nyanja, Occidental, Ojibway, Papiamento, Pidgin English, Pirez, Polish, Portuguese, Provencal, Quechua, Rhaetic, Romanian, Romany, Ruanda, Rundi, Russian, Sami, Sami Lule, Sami Northern, Sami Southern, Samoan, Sardinian, Serbian - Cyrillic, Serbian - Latin, Shona, Sioux, Slovak, Slovenian, Somali, Sorbian, Sotho, Spanish, Sundanese, Swahili, Swazi, Swedish, Tagalog, Tahitian, Thai, Tongan, Tswana, Tun, Turkish, Ukrainian, Vietnamese, Visayan, Welsh, Wolof, Xhosa, Zapotec, Zulu |

Hardware requirements

| Specification | Description |
|---------------|---------------------------------------|
| Processor | 2.0 GHz multi-core server class CPU |
| RAM | 8 GB or more |
| HDD | 4.5 GB solid state drive or RAID 0/10 |
| Video | 1024x768 resolution or higher |